

L Number	Hits	Search Text	DB	Time stamp
1	852	paramyxoviridae or HVJ	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 11:44
2	60	((paramyxoviridae or HVJ) same envelope	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 10:41
3	52	((paramyxoviridae or HVJ) same envelope) and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 11:43
5	420	((paramyxoviridae or HVJ) and envelope	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 09:30
6	252	((paramyxoviridae or HVJ) and envelope) and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 09:30
7	182	((paramyxoviridae or HVJ) and envelope) and @ay<2000) and vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 09:30
8	102	((((paramyxoviridae or HVJ) and envelope) and @ay<2000) and vector) and (detergent or triton\$1X100 or chaps or NP\$140 or octylglucoside or protamine adj sulfate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 09:32
9	92	((((paramyxoviridae or HVJ) and envelope) and @ay<2000) and vector) and (detergent or triton\$1X100 or chaps or NP-40 or octylglucoside or protamine adj sulfate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 09:33
10	100	((((paramyxoviridae or HVJ) and envelope) and @ay<2000) and vector) and (detergent or triton\$1X100 or chaps or NP-40 or octylglucoside or NP40 or protamine adj sulfate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 09:37
11	100	((((paramyxoviridae or HVJ) and envelope) and @ay<2000) and vector) and (detergent or triton\$1X100 or chaps or NP-40 or octylglucoside or NP40 or protamine adj sulfate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 10:42
4	27	((paramyxoviridae or HVJ) same envelope) and @ay<2000) and vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 09:36
12	19	((((paramyxoviridae or HVJ) same envelope) and @ay<2000) and vector) and (detergent or triton\$1X100 or chaps or NP-40 or octylglucoside or NP40 or protamine adj sulfate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 09:37
13	19	((((paramyxoviridae or HVJ) same envelope) and @ay<2000) and vector) and (detergent or triton\$1X100 or chaps or NP-40 or octylglucoside or NP40 or protamine adj sulfate)) and (paramyxoviridae or HVJ)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 10:00
14	100	((((paramyxoviridae or HVJ) and envelope) and @ay<2000) and vector) and (detergent or triton\$1X100 or chaps or NP-40 or octylglucoside or NP40 or protamine adj sulfate)) and (paramyxoviridae or HVJ)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 11:27

16	6	(((((paramyxoviridae or HVJ) same envelope) and @ay<2000) and vector) and (detergent or triton\$1X100 or chaps or NP-40 or octylglucoside or NP40 or protamine adj sulfate)) and (paramyxoviridae or HVJ)) and (freez\$3 or thaw\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 10:00
15	45	(((((paramyxoviridae or HVJ) and envelope) and @ay<2000) and vector) and (detergent or triton\$1X100 or chaps or NP-40 or octylglucoside or NP40 or protamine adj sulfate)) and (paramyxoviridae or HVJ)) and (freez\$3 or thaw\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 10:06
17	5741	paramyxoviridae or HVJ or sendai	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 10:41
18	2133	paramyxoviridae or HVJ or sendai adj vir\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 10:41
19	164	(paramyxoviridae or HVJ or sendai adj vir\$2) same envelope	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 10:41
20	56	((paramyxoviridae or HVJ) same envelope) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 10:42
21	151	((paramyxoviridae or HVJ or sendai adj vir\$2) same envelope) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 10:42
22	69	((paramyxoviridae or HVJ or sendai adj vir\$2) same envelope) and @ay<2001) and (detergent or triton\$1X100 or chaps or NP-40 or octylglucoside or NP40 or protamine adj sulfate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 10:43
23	5844	vir\$2 same envelope	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 11:03
24	3401	(vir\$2 same envelope) and screen\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 10:46
25	1133	((vir\$2 same envelope) and screen\$3) and (gene adj librar\$3 or \$1DNA adj librar\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 10:58
26	219	(vir\$2 same envelope) same screen\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 10:46
27	60	((vir\$2 same envelope) same screen\$3) and (gene adj librar\$3 or \$1DNA adj librar\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 10:46

28	37	((vir\$2 same envelope) same screen\$3) and (gene adj librar\$3 or \$1DNA adj librar\$3)) and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 10:46
29	313	((vir\$2 same envelope) and screen\$3) and (gene adj librar\$3 or \$1DNA adj librar\$3)) and (DNA adj bind\$3)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 10:59
30	7	((vir\$2 same envelope) and screen\$3) and (gene adj librar\$3 or \$1DNA adj librar\$3)) and (DNA adj bind\$3)) and envelope adj bind\$3	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 10:59
31	1388	vir\$2 same envelope same vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 11:03
32	935	(vir\$2 same envelope same vector) same (transfer\$4 or transfect\$3 or infect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 11:04
43	39	(((((paramyxoviridae or HVJ) and envelope) and @ay<2000) and vector) and (detergent or triton\$1X100 or chaps or NP-40 or octylglucoside or NP40 or protamine adj sulfate)) and (paramyxoviridae or HVJ)) and ex adj vivo	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 11:33
44	39	(((((paramyxoviridae or HVJ) and envelope) and @ay<2000) and vector) and (detergent or triton\$1X100 or chaps or NP-40 or octylglucoside or NP40 or protamine adj sulfate)) and (paramyxoviridae or HVJ)) and ex adj vivo) and tissue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 11:30
45	5	(((((paramyxoviridae or HVJ) and envelope) and @ay<2000) and vector) and (detergent or triton\$1X100 or chaps or NP-40 or octylglucoside or NP40 or protamine adj sulfate)) and (paramyxoviridae or HVJ)) and ex adj vivo) and isolat\$3 adj tissue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 11:30
46	5	(((((paramyxoviridae or HVJ) and envelope) and @ay<2000) and vector) and (detergent or triton\$1X100 or chaps or NP-40 or octylglucoside or NP40 or protamine adj sulfate)) and (paramyxoviridae or HVJ)) and ex adj vivo) and isolat\$3 adj tissue) and ex adj vivo	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 11:36
47	3	(((((paramyxoviridae or HVJ) and envelope) and @ay<2000) and vector) and (detergent or triton\$1X100 or chaps or NP-40 or octylglucoside or NP40 or protamine adj sulfate)) and (paramyxoviridae or HVJ)) and ex adj vivo) and isolat\$3 adj tissue) and ex adj vivo) and suspen\$4 adj cell	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 11:36
48	0	((paramyxoviridae or HVJ) same envelope) same (suspen\$4 near10 transfect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 11:45
49	0	((paramyxoviridae or HVJ) same envelope) same (suspen\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 11:45

50	3	((paramyxoviridae or HVJ) same envelope) and (suspens\$4 near10 transfect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/07 11:46
51	2	((paramyxoviridae or HVJ) same envelope) and (suspens\$4 near10 transfect\$3)) and ex adj vivo	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/07 11:47

L Number	Hits	Search Text	DB	Time stamp
1	5741	paramyxoviridae or HVJ or sendai	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 14:24
2	169	((paramyxoviridae or HVJ or sendai) same envelope	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 14:19
3	764	((paramyxoviridae or HVJ or sendai) and envelope	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 14:20
4	47	((paramyxoviridae or HVJ or sendai) and envelope) and (suspen\$4 near20 transfect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 14:20
6	97	((paramyxoviridae or HVJ or sendai) and envelope) and protamine adj sulfate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 14:21
5	9	((paramyxoviridae or HVJ or sendai) and envelope) and (suspen\$4 near20 transfect\$3)) and protamine adj sulfate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 14:21
8	1	((((paramyxoviridae or HVJ or sendai) and envelope) and (suspen\$4 near20 transfect\$3)) and protamine adj sulfate) and HVJ	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 14:24
7	3	((((paramyxoviridae or HVJ or sendai) and envelope) and (suspen\$4 near20 transfect\$3)) and protamine adj sulfate) and (paramyxoviridae or HVJ)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 14:24
9	9	((((paramyxoviridae or HVJ or sendai) and envelope) and (suspen\$4 near20 transfect\$3)) and protamine adj sulfate) and (paramyxoviridae or HVJ or sendai)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 14:28
10	211	HVJ and sendai	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 14:28
11	52	HVJ near sendai	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 14:29

FILE 'MEDLINE, CAPLUS, BIOSIS, EMBASE' ENTERED AT 10:11:14 ON 07 NOV 2002

L1	24396 S	PARAMYXOVIRIDAE OR HVJ
L2	251 S	L1 (P) ENVELOPE
L3	866 S	L1 AND ENVELOPE
L4	63 S	L3 AND (DETERGENT OR TRITON!X100 OR CHAPS OR NP-40 OR OCTYLG
L5	51 DUP REM	L4 (12 DUPLICATES REMOVED)
L6	3 S	L5 AND VECTOR
L7	670 S	L1 AND REVIEW
L8	55 S	L7 AND (ENVELOPE OR VECTOR OR DETERGENT)
L9	47 DUP REM	L8 (8 DUPLICATES REMOVED)